


Wall mounted **FLEXI Rack** has been designed to meet requirements of networking installers and cabling market. 19" wall mounted racks provide an installer comfortable solution for mounting electronic equipment and components.





Product characteristics

- 3 height options (7U, 12U, 17U)
- 2 depth options (400mm, 500mm)
- Width : 600mm
- Cable entries from the top and the bottom
- Depth and width adjustable carrier bars at the front
- Possible installation of equipment in 19", 21" and ETSI standards
- Integrated with frame carrier bars at the back
- Front door can be mounted left or right handed
- Vented roof and side walls increase ventilation
- Easy buying feature
- Accessories can be easily added
- Load capacity : 50kg
- Quick access to interior of the cabinet
- Supplied fully assembled, ready to use
- Flat packed delivery - optionally
(assembly time up to 10 min.)

Technical characteristics

Construction:	dismountable frame
Material:	steel
Treatment:	zinc coated, powder coated
Colour:	RAL 7024 (graphite grey) RAL 7035 (light grey)
Glass:	toughened glass
Lock:	single point locking system

Supply includes


Frame:	dismountable frame
Door version:	glass door / steel door
Back wall:	steel wall
Side walls:	steel walls with perforation
Bottom:	prepared for installation of fan, equipped with cable entry
Roof:	prepared for installation of fan, equipped with cable entry
Carrier bars:	two at the front
Mounting kit:	included





Wall mounted cabinets:FLEXI Racks

Operational Height	Width [mm]	Depth [mm]	Product No.
GLASS DOOR			
7U	600	400	FLEX-07-64G
		500	FLEX-07-65G
12U	600	400	FLEX-12-64G
		500	FLEX-12-65G
17U	600	400	FLEX-17-64G
		500	FLEX-17-65G
STEEL DOOR			
7U	600	400	FLEX-07-64S
		500	FLEX-07-65S
12U	600	400	FLEX-12-64S
		500	FLEX-12-65S
17U	600	400	FLEX-17-64S
		500	FLEX-17-65S



brand of PAREO POLSKA

PAREO POLSKA

Manufacturing Facility ZPPL-0 :
BOROWA 465
39-305 BOROWA / POLAND

System Integration Facility ZPPL-1 :
BOROWA 104 / 4
39-305 BOROWA / POLAND

Manufacturing Facility ZPPL-2 :
BOROWA 104 / 5
39-305 BOROWA / POLAND

Tel.: +48 (0) 17 583 13 52
Tel.: +48 (0) 17 581 53 41
Fax: +48 (0) 17 583 13 52

[http:// www.PAREO-POLSKA.com](http://www.PAREO-POLSKA.com)
e-mail: info@PAREO-POLSKA.com